STATE OF CALIFORNIA DEPARTMENT OF CONSERVATION DIVISION OF OIL AND GAS

REPORT OF WELL ABANDONMENT

			Bakersfield,	California
			November 4, 1965	
9 1 -				
Mr. E. W. P. O. Box	Gaudet 547			* * • • • • • • •
Isleton,	Calif.		 	
		GAS COMPANY	The thirty represents the	
Dear Sir:	The second second	(10) . Sec.		grant to the total
Your rep	ort of abandonme	ent of Well No.	CT-J.H. Glide, et al" 1	-
Sec. 25	T. 278 , R. 281	E , MD B. &	M., Mount Poso	field,
			Oct. 22, 1965	
		h records filed in a	this office. that the requirements of the	nis Division,
which are b	ased on all inform	nation filed with it	t, have been fulfilled.	
JAB:CW CC Co.				
Blanket b	rvation Committee	tee		
*				
·	11-8.			e e e e e e e e e e e e e e e e e e e
٠.			IURRAY-AARON Gas Supervisor	
			000	

59444 2-62 6M SPO

STATUS

(Completed Producing
	Recompleted Producing
(Completed Abandoned
	Incompleted Abandoned 9-19-65
	[dle
3m	
	MIN 11/30/65 7.165 A-11/30/65 ENGINEERS
1 6	120/1
# ES	1 165A-1130/83
	ENGINEERS
1.	Log, history & core record (dupl)
2.	Character name & well designation
3.	Operator name & well designation Location
5.	Elevation
6.	Signature
7.	Notices
ė.	"T" reports
9.	
10.	Plugs
11.	
12.	· · · · · · · · · · · · · · · · · · ·
13.	Map and Book
14.	Surface Inspection ROVED NOT APPROVED FOR THE FOLLOW-
TNC	DEASON MESON (ST) E ACC
TIMO	1000 1000 1.30 E-2003
	REASON NEED 1.50 E-20G
	10 60 0
	Hold Wor E-LOG - OR RECOTTED
	Hold for E-LOG - OK RECO 11-2-65

Laterlog

Location
Elevation /05-///-// Cor
Release bond
Hold bond Reason
Final letter
150b Manket

Other

RECORDS Received 10-25-65 Needed

> Well Summary History Log & Core

Direct Survey

Sm Elec Log(s) Lge

10/20/05 170 (neodue) Send from JR

Lge_

Form 19

11-3-61 RECORDSOL

OPEN TO INSPECTION

DIVISION OF OIL AND GAS

History of Oil or Gas Well

DIVISION OF OIL AND GAS

OCT 29 1965

Agent

	BRAZOS OIL AND GAS COMPANY	BANEKSFIELD, CALIFORNIA
OPERATOR	Division of The Dow Chemical Company	Field Mt. Poso, Kern County
WELL NO.	J. H. Glide, et al #1-CT	Sec. 25 , T 27 S /R)28 E , M. D. B. & M.
DATE	October 22, 1965	Signed Stradef
		E. W. Gaudet

Title

PHONE 916 777-4211

1965

ADDRESS

Rigged up Hylton Drilling Co. Spudded 8-3/4" hole at 12:30 p.m. Drilled to 128'.
Lost circulation. Mixed gel, mica and mud. Regained circulation. Drilled to 168'.
Lost circulation. Pulled bit. Mixed gel, mica, and Baroid plugit. Lost circulation material. Filled hole. Ran bit to 150'. Circulated okeh. Ran bit and drilled to 200'. Lost circulation. Pulled bit. Filled hole. Changed from 6-7/8" OD to 4-1/2" OD drill collars. Drilled to 614'.

Deviation Surveys: 312' - 0° 30', 430' - 1° 00°.

P. O. Box 547, Isleton, California

- 9/17 Drilled from 614° to 644°. Lost circulation. Pulled bit. Mixed heavy gel, mica mud. Filled hole. Ran bit to 300° 50% returns. Ran bit to 644° and drilled to 635°. Lost circulation. Pulled out. Mixed gel, lime, almond hulls and mica filled hole. Ran bit to 635°. Lost circulation. Pulled bit. Mixed Bariod Diaseal. Ran in open ended to 685°. Pumped in Diaseal. Had partial returns. Pulled open end pipe. Ran bit to 685°. Had 90% returns. Drilled to 785°. Had 100% returns. Cleaned mud of lost circulation material. Ran 6-1/8° Hycalog Core Barrel cut Core #1 785 809°, recovered 13°.
- Ran coring assembly. Cut Core #2: 809 834', recovered 17'; Core #3: 834 850', recovered 13'; Core #4: 850 875', recovered 22'. Ran Schlumberger Dual Induction Laterolog Survey. Layed down drill pipe.
- 9/19 Set cement plug from 25' to surface. C. I. P. at 1:10 a.m. 9/19/65. Witnessed and approved by Division of Oil and Gas representative.

Well Abandoned.

Rig released 2:00 a.m. 9/19/65.

£100

DIVISION OF OIL AND GAS

WELL SUMMARY REPORT

DIVISION OF OIL AND GAS

OCT 20 1965

perator	BRAZOS OIL AND CAS COMPANY Division of The Dow Chemical Company	Field Mt. Poso and IELD, C. County Kern	ALIFORNIA
ell No. 'C7	-J. H. Glide, et al #1###	Sec. 25, T 27 S, R 28 E, M. D. B. a Elevation of ground above seal leve	
ocation	1115' West along Section Line and 1200' South at Right Angle from NE corner of Sec. 25, T 27 S, R 28 E.	All depth measurements taken from which is 9 feet above ground.	
ate	October 22, 1965 Signe	d Saudek B. W. Gaudet	
C. C. Ditzler (Geologist)		Title Agent	
ommenced dril	ling September 16, 1965	Completed drilling September 18,	1965
otal depth	875' Plugged Depth Surface	Geological Markers	Depth
<u>.</u> '		Lower Miocene (Vedder) Pyramid Hills	875° 730°
·*	Geolog	ic age at total depth: Miocene	
· .	Name o	f producing zone Dry Hole	
	PLUGGED AND ABANDONED		
	Casing Record (Presen	t Hole)	

Electrical Log Depth

20°

Surface

Dual Induction - Laterolog

875

CALIFORNIA RESOURCES AGENCY
DEPARTMENT OF CONSERVATION

DIVISION OF OIL AND GAS

Special Report on Operations Witnessed

No. T B 465-419

Mr. E. W. Gaudet	
P A Dov Sli7	
Isleton, California 95641	September 29, 1965
Agent for BRAZOS OIL AND GAS COMPAI	TX
Dear Sir:	
Operations at well No. "CT-J.H. Glide, et	t al" 1 , Sec. 25 , T. 278 , R. 285 , MD B & M.
Mount Poso Field,	in County, were witnessed
on September 18, 1965 Mr. B. J	in Kern County, were witnessed 1. Welse , representative of the supervisor was present
from 11:00 PM to 1:05 AM . There w	vere also present E. Gaudet, Fleid Superintendent and
	R. Banks, Drilling Foremen T.D. 875°; plugged with cement 29° - 0°
The operations were performed for the purpose	of plugging the hole in the process of abandonment reported:
Mr. Gaudet	reported:
that an 8-3/4" hole was drilled	1 from 29° to 785° and a 6-1/8" hole from 785° to 875°
The Engineer noted the following 1. A bridge was placed in the case. A total of 50 sacks of cemer to the surface.	ng: easing at 29°. It was mixed and dumped on the bridge at 29°, filling
THE CEMENTING OPERATION AS WIT	INESSED IS APPROVED.

EAW/bp ec - Company

E. R. MURRAY-AARON
State Oil and Gas Suppervisor

State Oil and Gas Supervisor

...Deputy

RESOURCES AGENCY OF CALIFORNIA DEPARTMENT OF CONSERVATION

DIVISION OF OIL AND GAS

REPORT ON PROPOSED OPERATIONS No. P B 465-618

Present conditions as shown by the records and the proposal are as follows: THE NOTICE STATES: "The present condition of the well is: 1. T D 875'. 2. Complete casing record, including plugs: 14" OD conductor at 20' below ground level. 3. Last produced: Dry Hole. Additional data for dry hole 4. Oil or gas showings and results of tests: None. 5. Stratigraphic markers and depths: T. D. Lower Miocene (Vedder) 730' Pyramid Hills. 6. Formation at bottom: Vedder." PROPOSAL: "The proposed work is Place solid cement plug from depth of 25' to surface." DECISION: THE PROPOSAL IS APPROVED PROVIDED THAT: 1. THIS DIVISION SHALL BE NOTIFIED TO WITNESS the placing of the surface plug.	Mr. C. W. Gaudet P. O. Box 547		Bali	ersfield,	Calif.
Dear Sir: Your proposal to abandon Well No. 1 Section 25 7 278 R 28E ND B A M. Mount Poso Field, Kern County dated Sept. 20 1965, received Sept. 22 1965, has been examined in conjunction with records filed in this office Present conditions as shown by the records and the proposal are as follows: THE NOTICE STATES: "The present condition of the well is: 1. T D 875'. 2. Complete casing record, including plugs: 14" OD conductor at 20' below ground level. 3. Last produced: Dry Hole. Additional data for dry hole 4. Oil or gas showings and results of tests: None. 5. Stratigraphic markers and depths: T. D. Lower Miocene (Vedder) 730' Pyramid Hills. 6. Formation at bottom: Vedder." PROPOSAL: "The proposed work is Place solid cement plug from depth of 25' to surface." DECISION: THE PROPOSAL IS APPROVED PROVIDED THAT: 1. TRIS DIVISION SHALL BE NOTIFIED TO WITNESS the placing of the surface plug.	RRAYNG OTT. AND CAG COM)ARIV	Sep	tember 23	, 1965
Your 25 , 7278 R 26R MD B & M. Mount Foso Field, Kern County dated Sept. 20 1965 received Sept. 22 1965 has been examined in conjunction with records filed in this office Present conditions as shown by the records and the proposal are as follows: THE NOTICE STATES: "The present condition of the well is: 1. T D 875'. 2. Complete casing record, including plugs: 14" OD conductor at 20' below ground level. 3. Last produced: Dry Hole. Additional data for dry hole 4. Oil or gas showings and results of tests: None. 5. Stratigraphic markers and depths: T. D. Lower Miocene (Vedder) 730' Pyramid Hills. 6. Formation at bottom: Vedder." PROPOSAL: "The proposed work is Place solid cement plug from depth of 25' to surface." DECISION: THE PROPOSAL IS APPROVED PROVIDED THAT: 1. TRIS DIVISION SHALL BE NOTIFIED TO WITNESS the placing of the surface plug.	Agent for Manager Care And Gray Core	ALVE			
Your 25 , 7278 R 26R MD B & M. Mount Foso Field, Kern County dated Sept. 20 1965 received Sept. 22 1965 has been examined in conjunction with records filed in this office Present conditions as shown by the records and the proposal are as follows: THE NOTICE STATES: "The present condition of the well is: 1. T D 875'. 2. Complete casing record, including plugs: 14" OD conductor at 20' below ground level. 3. Last produced: Dry Hole. Additional data for dry hole 4. Oil or gas showings and results of tests: None. 5. Stratigraphic markers and depths: T. D. Lower Miocene (Vedder) 730' Pyramid Hills. 6. Formation at bottom: Vedder." PROPOSAL: "The proposed work is Place solid cement plug from depth of 25' to surface." DECISION: THE PROPOSAL IS APPROVED PROVIDED THAT: 1. TRIS DIVISION SHALL BE NOTIFIED TO WITNESS the placing of the surface plug.	D 6		"0	Tal. H. Gi	ide et al
Present conditions as shown by the records and the proposal are as follows: THE NOTICE STATES: "The present condition of the well is: 1. T D 875'. 2. Complete casing record, including plugs: 14" OD conductor at 20' below ground level. 3. Last produced: Dry Hole. Additional data for dry hole 4. Oil or gas showings and results of tests: None. 5. Stratigraphic markers and depths: T. D. Lower Miocene (Vedder) 730' Pyramid Hills. 6. Formation at bottom: Vedder." PROPOSAL: "The proposed work is Place solid cement plug from depth of 25' to surface." DECISION: THE PROPOSAL IS APPROVED PROVIDED THAT: 1. THIS DIVISION SHALL BE NOTIFIED TO WITNESS the placing of the surface plug.	Vour proposal to	abandon	Wall No	1	LLOUS CE CA
Present conditions as shown by the records and the proposal are as follows: THE NOTICE STATES: "The present condition of the well is: 1. T D 875'. 2. Complete casing record, including plugs: 14" OD conductor at 20' below ground level. 3. Last produced: Dry Hole. Additional data for dry hole 4. Oil or gas showings and results of tests: None. 5. Stratigraphic markers and depths: T. D. Lower Miocene (Vedder) 730' Pyramid Hills. 6. Formation at bottom: Vedder." PROPOSAL: "The proposed work is Place solid cement plug from depth of 25' to surface." DECISION: THE PROPOSAL IS APPROVED PROVIDED THAT: 1. THIS DIVISION SHALL BE NOTIFIED TO WITNESS the placing of the surface plug.	Section 25 T 27S R 28E MD F	& M Mount Poso	Field	Kern	County
Present conditions as shown by the records and the proposal are as follows: THE NOTICE STATES: "The present condition of the well is: 1. T D 875'. 2. Complete casing record, including plugs: 14" OD conductor at 20' below ground level. 3. Last produced: Dry Hole. Additional data for dry hole 4. Oil or gas showings and results of tests: None. 5. Stratigraphic markers and depths: T. D. Lower Miocene (Vedder) 730' Pyramid Hills. 6. Formation at bottom: Vedder." PROPOSAL: "The proposed work is Place solid cement plug from depth of 25' to surface." DECISION: THE PROPOSAL IS APPROVED PROVIDED THAT: 1. THIS DIVISION SHALL BE NOTIFIED TO WITNESS the placing of the surface plug.	deted Sept. 20 1965 Received Sept. 2	2 1965 has been examined	in conjunction wit	h records filed	in this office
The Notice States: "The present condition of the well is: 1. T D 875'. 2. Complete casing record, including plugs: 14" OD conductor at 20° below ground level. 3. Last produced: Dry Hole. Additional data for dry hole 4. Oil or gas showings and results of tests: None. 5. Stratigraphic markers and depths: T. D. Lower Miocene (Vedder) 730° Pyramid Hills. 6. Formation at bottom: Vedder." PROPOSAL: "The proposed work is Place solid cement plug from depth of 25° to surface." DECISION: THE PROPOSAL IS APPROVED PROVIDED THAT: 1. THIS DIVISION SHALL BE NOTIFIED TO WITNESS the placing of the surface plug.	Present conditions as shown by the records and	the proposal are as follows:	in conjunction wit	ii iccords iiicd	m this office.
"The present condition of the well is: 1. T D 875'. 2. Complete casing record, including plugs: 14" OD conductor at 20' below ground level. 3. Last produced: Dry Hole. Additional data for dry hole 4. Oil or gas showings and results of tests: None. 5. Stratigraphic markers and depths: T. D. Lower Miocene (Vedder) 730' Pyramid Hills. 6. Formation at bottom: Vedder." PROPOSAL: "The proposed work is Place solid cement plug from depth of 25' to surface." DECISION: THE PROPOSAL IS APPROVED PROVIDED THAT: 1. THIS DIVISION SHALL BE NOTIFIED TO WITNESS the placing of the surface plug.	Trescrit conditions as shown by the records and	the proposal are as follows.			
"The present condition of the well is: 1. T D 875'. 2. Complete casing record, including plugs: 14" OD conductor at 20' below ground level. 3. Last produced: Dry Hole. Additional data for dry hole 4. Oil or gas showings and results of tests: None. 5. Stratigraphic markers and depths: T. D. Lower Miocene (Vedder) 730' Pyramid Hills. 6. Formation at bottom: Vedder." PROPOSAL: "The proposed work is Place solid cement plug from depth of 25' to surface." DECISION: THE PROPOSAL IS APPROVED PROVIDED THAT: 1. THIS DIVISION SHALL BE NOTIFIED TO WITNESS the placing of the surface plug.	STATE MANAGER AT ATTACK		•		
 T D 875'. Complete casing record, including plugs: 14" OD conductor at 20' below ground level. Last produced: Dry Hole. Additional data for dry hole Oil or gas showings and results of tests: None. Stratigraphic markers and depths: T. D. Lower Miocene (Vedder) 730' Pyramid Hills. Formation at bottom: Vedder." PROPOSAL: "The proposed work is Place solid cement plug from depth of 25' to surface." DECISION: THE PROPOSAL IS APPROVED PROVIDED THAT: 1. THIS DIVISION SHALL BE NOTIFIED TO WITNESS the placing of the surface plug. 					
2. Complete casing record, including plugs: 14" OD conductor at 20° below ground level. 3. Last produced: Dry Hole. Additional data for dry hole 4. Oil or gas showings and results of tests: None. 5. Stratigraphic markers and depths: T. D. Lower Miocene (Vedder) 730° Pyramid Hills. 6. Formation at bottom: Vedder." PROPOSAL: "The proposed work is Place solid cement plug from depth of 25° to surface." DECISION: THE PROPOSAL IS APPROVED PROVIDED THAT: 1. THIS DIVISION SHALL BE NOTIFIED TO WITNESS the placing of the surface plug.		211 15:			
14" OD conductor at 20° below ground level. 3. Last produced: Dry Hole. Additional data for dry hole 4. Oil or gas showings and results of tests: None. 5. Stratigraphic markers and depths: T. D. Lower Miocene (Vedder) 730° Pyramid Hills. 6. Formation at bottom: Vedder." PROPOSAL: "The proposed work is Place solid cement plug from depth of 25° to surface." DECISION: THE PROPOSAL IS APPROVED PROVIDED THAT: 1. THIS DIVISION SHALL BE NOTIFIED TO WITNESS the placing of the surface plug.		a 44 G			•
3. Last produced: Dry Hole. Additional data for dry hole 4. Oil or gas showings and results of tests: None. 5. Stratigraphic markers and depths: T. D. Lower Miccene (Vedder) 730' Pyramid Hills. 6. Formation at bottom: Vedder." PROPOSAL: "The proposed work is Place solid cement plug from depth of 25' to surface." DECISION: THE PROPOSAL IS APPROVED PROVIDED THAT: 1. THIS DIVISION SHALL BE NOTIFIED TO WITNESS the placing of the surface plug.	2. Complete casing record, inc	luding plugs:			
Additional data for dry hole 4. Oil or gas showings and results of tests: None. 5. Stratigraphic markers and depths: T. D. Lower Miocene (Vedder) 730' Pyramid Hills. 6. Formation at bottom: Vedder." PROPOSAL: "The proposed work is Place solid cement plug from depth of 25' to surface." DECISION: THE PROPOSAL IS APPROVED PROVIDED THAT: 1. THIS DIVISION SHALL BE NOTIFIED TO WITNESS the placing of the surface plug.	14" OD conductor at 20° belo	ow ground level.			
 4. Oil or gas showings and results of tests: None. 5. Stratigraphic markers and depths: T. D. Lower Miocene (Vedder) 730' Pyramid Hills. 6. Formation at bottom: Vedder." PROPOSAL: "The proposed work is Place solid cement plug from depth of 25' to surface." DECISION: THE PROPOSAL IS APPROVED PROVIDED THAT: 1. THIS DIVISION SHALL BE NOTIFIED TO WITNESS the placing of the surface plug. 			•		
5. Stratigraphic markers and depths: T. D. Lower Miocene (Vedder) 730' Pyramid Hills. 6. Formation at bottom: Vedder." PROPOSAL: "The proposed work is Place solid cement plug from depth of 25' to surface." DECISION: THE PROPOSAL IS APPROVED PROVIDED THAT: 1. THIS DIVISION SHALL BE NOTIFIED TO WITNESS the placing of the surface plug.	Additional data for dry hol-	ė			
5. Stratigraphic markers and depths: T. D. Lower Miocene (Vedder) 730' Pyramid Hills. 6. Formation at bottom: Vedder." PROPOSAL: "The proposed work is Place solid cement plug from depth of 25' to surface." DECISION: THE PROPOSAL IS APPROVED PROVIDED THAT: 1. THIS DIVISION SHALL BE NOTIFIED TO WITNESS the placing of the surface plug.	4. Oil or gas showings and res	ults of tests: None.			
T. D. Lower Miocene (Vedder) 730' Pyramid Hills. 6. Formation at bottom: Vedder." PROPOSAL: "The proposed work is Place solid cement plug from depth of 25' to surface." DECISION: THE PROPOSAL IS APPROVED PROVIDED THAT: 1. THIS DIVISION SHALL BE NOTIFIED TO WITNESS the placing of the surface plug.	5. Stratigraphic markers and d	epths:			•
730' Pyramid Hills. 6. Formation at bottom: Vedder." PROPOSAL: "The proposed work is Place solid cement plug from depth of 25' to surface." DECISION: THE PROPOSAL IS APPROVED PROVIDED THAT: 1. THIS DIVISION SHALL BE NOTIFIED TO WITNESS the placing of the surface plug.				•	
6. Formation at bottom: Vedder." PROPOSAL: "The proposed work is Place solid cement plug from depth of 25' to surface." DECISION: THE PROPOSAL IS APPROVED PROVIDED THAT: 1. THIS DIVISION SHALL BE NOTIFIED TO WITNESS the placing of the surface plug.			•		
PROPOSAL: "The proposed work is Place solid cement plug from depth of 25' to surface." DECISION: THE PROPOSAL IS APPROVED PROVIDED THAT: 1. THIS DIVISION SHALL BE NOTIFIED TO WITNESS the placing of the surface plug.		r . **			
"The proposed work is Place solid cement plug from depth of 25' to surface." DECISION: THE PROPOSAL IS APPROVED PROVIDED THAT: 1. THIS DIVISION SHALL BE NOTIFIED TO WITNESS the placing of the surface plug.	Ai antentana me annama				
"The proposed work is Place solid cement plug from depth of 25' to surface." DECISION: THE PROPOSAL IS APPROVED PROVIDED THAT: 1. THIS DIVISION SHALL BE NOTIFIED TO WITNESS the placing of the surface plug.	PANDACAT .	,			
Place solid cement plug from depth of 25' to surface." DECISION: THE PROPOSAL IS APPROVED PROVIDED THAT: 1. THIS DIVISION SHALL BE NOTIFIED TO WITNESS the placing of the surface plug.					
DECISION: THE PROPOSAL IS APPROVED PROVIDED THAT: 1. THIS DIVISION SHALL BE NOTIFIED TO WITNESS the placing of the surface plug.	The proposed work is	meh of 251 to surface	63		
1. THIS DIVISION SHALL BE NOTIFIED TO WITNESS the placing of the surface plug.	riece soils cement him itom de	PUBLISHE OF CO TA HORE	•		
1. THIS DIVISION SHALL BE NOTIFIED TO WITNESS the placing of the surface plug.	THE	ama manther sule.	,		
1. THIS DIVISION SHALL BE NOTIFIED TO WITNESS the placing of the surface plus.			9	En	and and
2. All portions of the hole not plugged with cement shall be filled with mud fluid	1. THIS DIVISION SHALL BE NOTE	kirn in Milmrap the b	racing or the	sarrace b	LUE.

AGH: CW CC Co.

Blanket bond

or surface dirt and water.

E. R. MURRAM-AARON, Seate Oil and Gas Supervisor

18755-705 3-64 50M (T) OSP

RECEIVED

Notice of Intention to Abandon Well

This notice must be given at least five days before work is to begin; one copy only

SEP 22 1965

	_				MERSPIELU, CALIF
	Isle	ton,	_Calif	September	20 , 19 65
DIVISION OF OIL AND GAS					
In compliance with Division 3, Public Reso	ources Code, notic	e is hereby giv	en that	it is our inte	ention to abandon
Well No. "CT - J. H. Glide, et al	L'' <u>#</u> 1			, Sec. 25	, T 27 S,
R. 28 E , M. D. B. & M.,Mount	Poso	Field, _		Kern	County,
ommencing work on September 19,	, 1965	19			
THE PRESENT CONDITION OF THE WE	LL IS:	Additiona	l Data	FOR DRY HO	DLE
. Total Depth: 875		4. Oil or Gas	showing No	gs and results one	of tests:
. Complete casing record, including plugs: 14" OD conductor at 20' below ground level	₹				
		·			
		5. Stratigraph	ic mark	ers and depths	:
	·	T. D. 730'		er Miocene amid Hills	(Vedder)
. Last Produced Dry Hole (Date) (Oil, B/D) (Gas, Mcf/D)	(Water, B/D)	6. Formation	at botto	om: Ve	dder
	(Water, B/D)	7. Base of free	sh water	sands:	

Place solid cement plug from depth of 25' to surface.

REFERENCE TO FILE OF DATA

Map & U.S. Bond Card Forms
114 121

Blacket 2167 D.

P. O. Box 547, Isleton, Cal. 95

916 777-4211 (Address)

(Telephone No.)

BRAZOS OIL AND GAS COMPANY
Division of The Dow Chemical Company

By E. W. Gaudet

RESOURCES AGENCY OF CALIFORNIA DEPARTMENT OF CONSERVATION

DIVISION OF OIL AND GAS

REPORT ON PROPOSED OPERATIONS No. P. B. 465-594

Mr. E. W. Gaud	et	********				
P. O. Box	547				Bakerofield, c	alif.
Isleton, C	alifornia				September 14, 1	
Agent for ERAZOS OIL	AND GAS CO	RIPANY	•.			
8						
Dear Sir:						
Your	proposal	to drill		Well No. "C	T-J.H. Glide. e	1 310
Section 25 , T. 278	R 28% M	B. & M. Mou	nt Poso	Field.	Kern Cou	atv.
lated Aug. 30, 1965	received SCT	2. 7, 1965 has been	examined in co	oniunction with	records filed in this of	fice.
Present conditions as show				·,		
	,					
THE NOTICE STATES	8					
Legal descri	ptica of mi	nevel-right leas	e. co nsisti	ne of 320 a	cres. is as fol	lows:
H. Steele'o	J. H. Glide	e, et al. lease.				
		leases coincide?			1.,	
		feet Hest along		ne and 1200	feet South at	siehe
		es to sald line				
1 to		S, R 28 E.	•			y
Elevation of	•	we sea level 115) feet datu	m.	•	
		taken from top o			above eround!	
	7. T.					
PROPOSAL:	1000 000	PROPOSED C	ASING PROCE	LAM	,	
Size of casing	A STATE OF THE STATE OF					
inches A.P.I.	Weight	Grade and Type	Top	Bottom	Cementing Dep	ද්ර්ශ
4 1/2" 00	11.6	J-55	Surface	600°	800°	
Intended zone (a)						
of completion_	Vedder	360 -	400°	Est	imated T.D. 80	3.0
	Næne	Depth.	top & bott	CO		
It is understood	that if che	ages in this pla	n become ne	cessary we	are to notify y	341
immediately.						
DUCISION: THE PR	oposal is a	PPROVED PROVIDED	THAT:			
1. Fluid con	sistent wit	h good drilling	practice sh	all be used	, and the column	<u>a</u>
of fluid t	mointained	to the surface at	all times	, particula	rly while pulling	12
the drill	pipe.		;		- -	•
2. This divi	SION SHALL	BE NOTIFIED TO W	ITMESS a te	st of the 4	1/2" water shul	eoff.
				1 1	14 - 1, 4, 14 - 14 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	
		1				
•						
	and the second of		. ,			
			. : '			
		* 7,100		•	· ·	
		* 7,100			Tax to the same	

MP:GS cc = Co. Bond-Blanket

E. R. MURRAY-AARON, State Oil and Gas Supervisor

By live Deput

18755-705 3-64 50M ①T OSP



STATE OF CALIFORNIA THE RESOURCES AGENCY OF CALIFORNIA DEPARTMENT OF CONSERVATION



29-12056 RECEIVED

1965 SEP 7

Notice of Intention to Drill New Well This notice and surety bond must be filed before drilling begins

BAKEKSFIELU, UALIFORNIA

			Isleton,		Calif. August 30, 1965
DIVISION OF	OIL AND	GAS		•	
In compliance	with Section	on 3203, Division II	II, Article 4, Pu	ublic Resources	Code, notice is hereby given that it is our
intention to com	mence drilli	ing well No. FCT	,- J. H. G1	ide, et al	, Sec. 25 , T. 278
R. 28E , M	1.D. B. &	M., Adobe-Ca	nyon Area	Fie	eld, Kern County.
					s as follows: H. Steele's
					(Attach map or plat to scale)
J. II. GIIde	et al.	rease.		·	
***************************************			·	· 	
		s coincide? Yes X		If a	nswer is no, attach legal description of both
				property	
Location of Well	:111	feet Wes	st alo	ng section line a	and 1200 feet South
at right angles to	said line fo	rom the	Northeast		property corner of section 25,
T 27 S, R	_28 E		· · · · · · · · · · · · · · · · · · ·		
	·	·			
T1	. 1 1	1 1 1150			
					datum.
All depth measure	ements take	n from top of	K.B.		which is feet above ground.
					// /
		PROPO	SED CASIN	NG PROGR	AM
SIZE OF CASING INCHES A.P.I.	WEIGHT	GRADE AND TYPE	ТОР	воттом	CEMENTING DEPTHS
4-1/2" OD	11.6	J-55	Surface	800 '	800'
					a the same
Intended zone(s)	·				14.3
of completion:		dder	/ 360 - 400		REFERENCE TO FILE OF DATA
	Ţ.	anc)	(De		us (,) E
* 7,10	~			9ook	U.S. Bond Card Forms 114 121
* 7,100				9/7/65	-00 what - 2165 00
It is un	derstood t	hat if changes in t	his plan becom	e necessary we	are to notify you immediately
		Isleton, Cal.	•	BRAZOS OIL	f The Dow Chemical Company
ALGUICOSTW.				0.6	(Name of Operator)
			I	By Altan	E. W. Gaudet
Telephone Numb	er PRe	scott 7-4211		Type of Organiz	ation
				, i	(Corporation, Partnership, Individual, etc.)